

Chin Dimpling Treatment - Orange Peel Chin Melbourne | Me Clinic

Canonical:

<https://directory.meclinic.com.au/facial-concerns/chin-dimpling-treatment-orange-peel-chin-melbourne-me-clinic/>

Description:

Chin Dimpling - Treatment Options at Me Clinic Melbourne ## Quick Summary **What causes chin dimpling:** - Overactive mentalis muscle creating tension and puckering - Natural ageing causing loss of chin pad fat and skin support - Genetic predisposition to stronger muscle contractions - Repeated facial expressions reinforcing dimpling patterns

Details:

Quick Summary

What causes chin dimpling: - Overactive mentalis muscle creating tension and puckering - Natural ageing causing loss of chin pad fat and skin support - Genetic predisposition to stronger muscle contractions - Repeated facial expressions reinforcing dimpling patterns

Treatment options available: - Non-surgical: Anti-wrinkle injections (most effective), dermal fillers, combination treatments - Surgical: Chin augmentation with implant (for severe structural cases)

Expected results: - Smooth, relaxed chin surface without puckering - Timeline: Anti-wrinkle results appear in 3-7 days, fillers immediate - Duration: 3-4 months for injectables, 6-18 months for fillers

Cost range: - Non-surgical: \$200-\$800 per treatment - Surgical: \$8,000-\$12,000 - *Prices based on Me Clinic's transparent pricing policy*

Next steps: - Book free consultation - Discuss treatment plan - Review before/after gallery - Understand maintenance schedule

Understanding Chin Dimpling

What is chin dimpling?

Chin dimpling, often called "peau d'orange" (orange peel chin) or "cobblestone chin," is a cosmetic concern where the skin on your chin develops a bumpy, textured appearance with multiple small indentations. Unlike a single dimple (which some people find attractive), chin dimpling creates an uneven, puckered look across the entire chin surface that becomes more pronounced when you purse your lips, frown, or speak.

This textured appearance occurs when the mentalis muscle — a paired muscle that runs from your lower lip down to your chin bone — contracts excessively or irregularly. Rather than creating smooth movement, these contractions cause the overlying skin to bunch up into multiple small depressions, resembling the pitted surface of an orange peel.

Many people mistakenly believe chin dimpling is simply a natural part of their facial structure, but it's actually a muscular phenomenon that worsens over time and can be effectively treated.

What causes chin dimpling?

1. ****Overactive mentalis muscle**** - The mentalis muscle controls lower lip movement and chin expression - Some people naturally have stronger or more active mentalis muscles - Excessive contractions create tension that pulls on the overlying skin - Repeated activation throughout the day reinforces the dimpling pattern - Stress and facial habits can increase muscle tension
2. ****Natural ageing**** - Collagen and elastin fibres break down, reducing skin resilience - Loss of subcutaneous fat pad beneath the chin reduces cushioning - Skin becomes thinner and less able to smooth over muscle contractions - Bone resorption can reduce chin projection, making dimpling more visible - Years of repeated muscle movements create permanent creasing patterns
3. ****Genetic factors**** - Hereditary predisposition to stronger mentalis muscle activity - Inherited chin bone structure and projection - Familial patterns of fat distribution in the lower face - Ethnic variations in skin thickness and elasticity - Some people develop dimpling in their 20s, others not until their 50s
4. ****Anatomical structure**** - Smaller or recessed chin bones provide less structural support - Thinner skin in the chin area shows muscle activity more readily - Lower facial fat distribution affects cushioning - Muscle attachment points vary between individuals

****Who experiences chin dimpling?****

Chin dimpling affects both men and women, though women often notice it earlier (typically from their 30s onwards) as they're generally more attuned to facial appearance changes. Men frequently develop it in their 40s and 50s as part of the natural ageing process.

The condition can appear at any age, but certain factors increase likelihood: - People with naturally strong facial expressions - Those with smaller or less projected chins - Individuals who've experienced significant weight loss - Anyone with a family history of chin dimpling - People who tend to purse their lips or tense their chin when concentrating

****Why it matters****

While chin dimpling isn't a medical concern, many patients find it affects their confidence and how they perceive their facial appearance. The textured, uneven appearance can: - Make the chin look older or more aged than other facial features - Create an unintentionally stern or tense expression - Become increasingly noticeable in photos and video calls - Worsen throughout the day as the muscle fatigues - Draw attention away from other facial features

Most patients seek treatment because they want a smoother, more relaxed chin appearance that better matches the rest of their face. The good news is that chin dimpling responds exceptionally well to non-surgical treatments, particularly anti-wrinkle injections.

Treatment Options Comparison

Non-Surgical Treatments

****1. Injectable Treatments****

Anti-Wrinkle Injections (Botulinum Toxin)

This is the gold standard treatment for chin dimpling and achieves excellent results in the vast majority of cases.

- ****How it works:**** Small amounts of botulinum toxin are precisely injected into the mentalis muscle to temporarily relax the overactive fibres. By reducing excessive muscle contractions, the skin surface smooths out and the dimpling disappears. The treatment doesn't paralyse the chin — it simply reduces the tension that creates the puckered appearance.

- ****Best for:**** Active chin dimpling that appears when you move your face, speak, or purse your lips. Particularly effective for patients whose dimpling is caused by muscle hyperactivity rather than

structural issues.

- **Procedure time:** 10-15 minutes
- **Downtime:** None to minimal. You can return to normal activities immediately, though we recommend avoiding lying down for 4 hours and strenuous exercise for 24 hours.
- **Results appear:** 3-7 days, with full effect at 2 weeks
- **Results last:** 3-4 months on average. Some patients find their results last slightly longer with repeated treatments as the muscle becomes "trained" to relax.
- **Cost range:** \$200-\$400 per treatment (chin area typically requires 4-8 units)
- **Pros:** - Highly effective for chin dimpling - Quick procedure with no recovery time - Natural-looking results - Reversible effect - Can be combined with other treatments - Minimal discomfort
- **Cons:** - Temporary results requiring maintenance every 3-4 months - Slight bruising possible (rare) - Takes a few days to see results - Requires an experienced injector for optimal chin placement

Dermal Fillers (Hyaluronic Acid)

Fillers play a supporting role in treating chin dimpling, typically used alongside anti-wrinkle injections rather than as a standalone treatment.

- **How it works:** Hyaluronic acid filler is carefully placed beneath the dimpled areas to fill in depressions and provide structural support. This "fills out" the irregular surface, creating a smoother contour. Fillers can also enhance chin projection if recession is contributing to the dimpling.
- **Best for:** Deep, persistent dimpling that remains visible even at rest, patients with some volume loss in the chin area, or those who want enhanced chin definition alongside dimpling treatment.
- **Procedure time:** 20-30 minutes
- **Downtime:** Minor swelling and potential bruising for 1-3 days. Most patients can resume normal activities immediately with makeup to cover any marks.
- **Results appear:** Immediate, though final results are visible after 2 weeks once any swelling subsides
- **Results last:** 6-18 months depending on the filler product used and individual metabolism
- **Cost range:** \$600-\$900 per treatment (typically 0.5-1ml required)
- **Pros:** - Immediate visible improvement - Addresses structural volume loss - Can enhance overall chin projection - Natural-looking when done conservatively - Reversible with hyaluronidase if needed
- **Cons:** - More expensive than anti-wrinkle injections - Temporary results - Higher risk of bruising - Less effective alone for muscle-driven dimpling - Requires skilled technique to avoid lumps or irregularities

****2. Combination Approach****

Many experienced practitioners at Me Clinic recommend combining anti-wrinkle injections with dermal filler for optimal results, particularly in patients with both muscle hyperactivity and volume loss.

- **Treatment protocol:** Anti-wrinkle injections first to relax the mentalis muscle, then strategic filler placement after 2 weeks to address any remaining contour irregularities and enhance chin projection.
- **Best for:** Patients with moderate to severe dimpling, those with some chin recession, or patients seeking comprehensive chin rejuvenation.

- **Cost range:** \$800-\$1,300 for combined treatment
- **Results:** Superior smoothing compared to either treatment alone, with both immediate (filler) and progressive (anti-wrinkle) improvement.

3. Energy-Based Treatments

Radiofrequency Microneedling

While not a first-line treatment for chin dimpling, radiofrequency microneedling can provide complementary benefits by improving skin quality.

- **How it works:** Fine needles create micro-channels in the skin while delivering radiofrequency energy to deeper layers. This stimulates collagen production and skin tightening, which can help thicken skin and improve its ability to smooth over muscle irregularities.
- **Best for:** Patients with thin skin who've already had successful injectable treatment but want to enhance long-term skin quality and potentially extend time between treatments.
- **Treatment sessions:** 3-4 sessions spaced 4-6 weeks apart
- **Downtime:** 2-3 days of redness and mild swelling
- **Results appear:** Gradual improvement over 3-6 months
- **Results last:** 12-18 months with maintenance treatments
- **Cost range:** \$600-\$800 per session
- **Pros:** - Improves overall skin quality - Builds collagen for long-term benefits - Minimal downtime
- **Cons:** - Multiple sessions required - Doesn't directly address muscle hyperactivity - More discomfort than injectables - Higher overall cost - Not effective as standalone treatment for dimpling

Surgical Treatments

****Chin Augmentation with Implant****

Surgical intervention is rarely necessary for chin dimpling alone but may be considered for patients with significant chin recession where the lack of bony projection contributes substantially to the dimpling appearance.

- **What it is:** A biocompatible silicone or porous polyethylene implant is surgically placed over the chin bone through a small incision (either inside the mouth or under the chin). This enhances chin projection and provides structural support that can reduce dimpling visibility.
- **Best for:** Patients with weak chin projection (microgenia) who have persistent dimpling despite injectable treatments, or those who want permanent enhancement of chin structure.
- **Procedure time:** 1-2 hours
- **Anaesthesia:** General anaesthesia or deep sedation
- **Hospital stay:** Day surgery (go home same day)
- **Recovery time:** - 1 week off work recommended - 2-3 weeks before normal social activities - 6 weeks before strenuous exercise - 3-6 months for final result as swelling resolves
- **Results appear:** Initial change visible immediately, final contour at 6-12 months
- **Results last:** Permanent
- **Cost range:** \$8,000-\$12,000

- **Pros:** - Permanent solution - Dramatically improves chin projection - Can eliminate structural contribution to dimpling - One-time procedure

- **Cons:** - Invasive surgery with recovery time - Higher cost - Surgical risks (infection, implant movement, numbness) - Doesn't address muscle hyperactivity (may still need injections) - Permanent decision requiring careful planning - Potential for dissatisfaction with new chin profile

Important note: At Me Clinic, we rarely recommend surgery as a first-line treatment for chin dimpling. In our experience, over 95% of patients achieve their desired results with strategic use of anti-wrinkle injections, with or without dermal filler. Surgery is reserved for the small subset of patients with significant structural deficiency or those who've exhausted non-surgical options.

Choosing the Right Treatment - Decision Guide

Consider anti-wrinkle injections as first-line treatment if:

✓ Your chin dimpling appears primarily with facial movement ✓ You want minimal downtime and quick recovery ✓ You prefer to try treatments gradually ✓ You want reversible, low-risk options ✓ Budget is a consideration (most cost-effective option) ✓ You're new to cosmetic treatments ✓ Your skin quality is generally good

Consider adding dermal filler if:

✓ You have visible dimpling even at rest ✓ You've lost volume in your chin area ✓ Anti-wrinkle injections alone provided incomplete improvement ✓ Your chin lacks projection ✓ You want immediate visible results ✓ You're willing to invest in more comprehensive treatment

Consider surgical treatment only if:

✓ You have severe chin recession (microgenia) ✓ Non-surgical treatments have been unsuccessful ✓ You want permanent structural improvement ✓ You can accommodate several weeks of recovery ✓ You're prepared for the higher investment and surgical risks ✓ You've had comprehensive assessment by a qualified plastic surgeon

Recommended treatment pathway:

For most patients, we recommend this stepped approach:

1. **Start with anti-wrinkle injections** (first visit) — assess response over 3-4 months 2. **Add dermal filler if needed** (second visit) — for patients who need additional volume support 3. **Maintain with regular anti-wrinkle treatments** every 3-4 months 4. **Consider surgical consultation** only if non-surgical options prove inadequate after 12 months of optimised treatment

This graduated approach minimises risk, manages costs effectively, and allows you to see results before committing to more invasive or permanent options.

What to Expect at Me Clinic

1. Initial Consultation (Free)

Your journey begins with a comprehensive consultation where we take the time to understand your concerns and goals. During this appointment:

- **Detailed assessment:** Your practitioner will examine your chin structure, assess the severity of dimpling, evaluate the mentalis muscle activity, and check for any contributing factors like chin recession or volume loss.

- **Discussion of concerns:** We'll listen to what bothers you about your chin appearance and what results you're hoping to achieve.

- **Medical history review:** We'll discuss any previous cosmetic treatments, medical conditions, medications, or allergies that might affect treatment planning.
- **Treatment options explained:** Your practitioner will recommend the most appropriate treatment approach for your specific anatomy and goals, explaining how each option works and what you can realistically expect.
- **Realistic expectations set:** We're honest about what treatments can and cannot achieve. Our Responsible Cosmetic Medicine™ approach means we'll never overpromise results.
- **Transparent pricing provided:** You'll receive clear, written pricing for recommended treatments with no hidden fees.
- **Before/after gallery review:** We'll show you results from similar cases so you can visualise potential outcomes.

2. Treatment Planning

If you decide to proceed, we'll create a customised treatment plan that might include:

- **Staged approach:** For combination treatments, we typically start with anti-wrinkle injections, assess the response, then add filler if needed at a follow-up appointment.
- **Treatment timeline:** Clear scheduling for initial treatment and any follow-up sessions.
- **Pre-treatment instructions:** Guidance on preparing for your treatment (avoiding blood thinners, scheduling around important events, etc.).
- **Post-treatment care:** Detailed aftercare instructions to optimise results and minimise side effects.
- **Maintenance schedule:** Recommendations for maintaining your results long-term.

3. The Me Clinic Difference

Responsible Cosmetic Medicine™

Our treatment philosophy prioritises your safety, satisfaction, and natural-looking results:

- **Evidence-based treatments only:** We only offer procedures with proven safety and efficacy records
- **Ethical patient selection:** We'll decline to treat if we believe treatment isn't in your best interest
- **Natural-looking results prioritised:** We aim for improvement, not perfection or dramatic transformation
- **Conservative approach first:** We start with minimal intervention and build up only if needed
- **Comprehensive aftercare:** You're supported throughout your treatment journey

Experienced Practitioners

Your chin dimpling treatment will be performed by:

- **FRACS-qualified plastic surgeons** for surgical procedures
- **Specialist cosmetic physicians** with advanced injection training
- **Registered nurses** under direct medical supervision for injectable treatments
- Practitioners with **25,000+** surgical procedures performed collectively
- Team experience with **60,000+** non-surgical treatments delivered

Transparent Pricing

At Me Clinic, you'll always know what you're paying:

- Published price lists for all treatments
- No hidden fees or surprise charges
- Payment plans available for larger treatments
- Medicare rebates explained (though most cosmetic treatments aren't covered)
- No pressure to proceed if you need time to consider your options

Frequently Asked Questions

How much does chin dimpling treatment cost in Melbourne?

Treatment costs vary based on the approach: - Anti-wrinkle injections alone: \$200-\$400 per treatment (every 3-4 months) - Dermal filler alone: \$600-\$900 per treatment (every 12-18 months) - Combination treatment: \$800-\$1,300 initially - Chin augmentation surgery: \$8,000-\$12,000 (one-time cost)

At Me Clinic, we provide transparent pricing during your free consultation with no hidden fees. Most patients find anti-wrinkle injections provide excellent results at a moderate ongoing cost. While you'll need maintenance treatments, the cumulative annual cost is typically lower than many other cosmetic procedures.

How long do results last?

- Anti-wrinkle injections: 3-4 months on average, though some patients enjoy 5-6 months with regular treatments - Dermal fillers: 12-18 months depending on product choice and individual metabolism - Surgical chin augmentation: Permanent

The temporary nature of injectables is actually an advantage — it allows you to adjust your treatment over time as your face changes with age, and there's no permanent commitment if your goals evolve.

Is there any downtime?

- Anti-wrinkle injections: None. You can return to work immediately. We recommend avoiding lying flat for 4 hours and strenuous exercise for 24 hours, but most patients have no visible signs of treatment.

- Dermal fillers: 1-3 days. Minor swelling and possible bruising that can be covered with makeup. Most patients attend social events the next day.

- Surgical chin augmentation: 1-2 weeks off work, 2-3 weeks before comfortable socialising, 6 weeks before exercise. Significant swelling takes 3-6 months to fully resolve.

Will it look natural?

Absolutely. Me Clinic prioritises natural-looking results through our Responsible Cosmetic Medicine™ approach. For chin dimpling, the goal is simply a smooth, relaxed chin that matches the rest of your face — not an overdone or obviously treated appearance.

The key to natural results is conservative dosing and precise injection technique. Your practitioner will use just enough product to relax the muscle and smooth the dimpling, without affecting your ability to move your chin or lip naturally. You'll still have full facial expression; the dimpling will simply be gone.

Am I too young or too old for treatment?

There's no universal age limit for chin dimpling treatment. We've successfully treated patients from their early 20s (those with early-onset genetic dimpling) through to their 80s.

During your consultation, we assess individual factors including: - Skin quality and elasticity - Overall health and any medical conditions - Realistic expectations - Severity of the dimpling - Contributing factors

The ideal candidate is anyone bothered by chin dimpling who has realistic expectations and good general health. Age itself isn't a determining factor.

Does Medicare cover chin dimpling treatment?

Unfortunately, no. Chin dimpling treatment is considered cosmetic rather than medically necessary, so it's not covered by Medicare or private health insurance.

However, if you're having chin augmentation surgery that includes a functional component (for example, correction of a significant bite problem or jaw misalignment), a portion of the costs might be claimable. We'll clarify this during your surgical consultation if relevant.

****What are the risks of treatment?****

All treatments carry some risk, but chin dimpling treatments are generally very safe when performed by experienced practitioners.

****Anti-wrinkle injection risks:**** - Bruising at injection sites (10-20% of patients, usually minor) - Temporary swelling or redness (resolves within hours) - Asymmetry if dosing isn't precise (correctable with additional small doses) - Excessive muscle relaxation affecting lip movement (rare with proper technique, temporary) - Headache (uncommon, usually mild and short-lived)

****Dermal filler risks:**** - Bruising and swelling (more common than with anti-wrinkle injections) - Lumps or irregularities (usually resolve with massage or can be dissolved) - Asymmetry (correctable) - Vascular occlusion (extremely rare but serious; this is why we use qualified practitioners) - Allergic reaction (very rare with hyaluronic acid fillers)

****Surgical chin augmentation risks:**** - Infection (1-2% risk) - Bleeding or haematoma - Numbness in lower lip or chin (usually temporary, occasionally permanent) - Implant movement or extrusion (rare) - Dissatisfaction with aesthetic result - Anaesthesia risks - Scarring

Your practitioner will discuss all relevant risks during your consultation and answer any specific concerns.

****Can I see before and after photos?****

Yes. During your consultation, we'll show you relevant before and after galleries of chin dimpling treatments from our own patients (with their consent). These photos demonstrate the realistic range of improvements achievable with different treatment approaches.

We find it particularly helpful to show you cases similar to your own in terms of dimpling severity, chin structure, and age, so you have appropriate expectations.

****How do I prepare for treatment?****

Preparation varies slightly by treatment type, but general guidelines include:

****For anti-wrinkle injections:**** - Avoid blood-thinning medications and supplements for 3-5 days before treatment if medically safe (aspirin, ibuprofen, fish oil, vitamin E, ginkgo biloba) - No alcohol for 24 hours before (reduces bruising risk) - Arrive with a clean face (no makeup on the treatment area) - Avoid scheduling treatment within 2 weeks of important events

****For dermal fillers:**** - Same precautions as above, but extend to 7 days - Consider postponing if you have active cold sores (lip/chin area) - Plan for potential 2-3 days of minor swelling

****For surgical chin augmentation:**** - Complete pre-operative medical assessment - Stop smoking at least 4 weeks before and after surgery - Arrange for someone to drive you home and stay with you for 24 hours - Fill prescriptions for post-operative pain relief and antibiotics - Prepare your recovery space at home

Your practitioner will provide detailed, personalised preparation instructions when you book your treatment.

****When will I see results?****

- Anti-wrinkle injections: You'll notice gradual improvement starting around day 3-4, with full effect visible at 2 weeks. The dimpling progressively smooths as the muscle relaxes.

- Dermal fillers: Immediate improvement that you can see straight away, though final results are best assessed at 2 weeks once any swelling has completely resolved.

- Surgical chin augmentation: You'll see a changed chin profile immediately after surgery, but significant swelling obscures the true result for several weeks. Most swelling resolves by 6 weeks, with final contour refinement continuing up to 12 months.

****How often will I need maintenance treatments?***

For anti-wrinkle injections, most patients return every 3-4 months initially. With regular treatment, some patients find they can extend the interval to 4-5 months as the muscle becomes less active.

For dermal fillers, maintenance is typically needed every 12-18 months, depending on which product was used and how quickly your body metabolises it.

Surgical results don't require maintenance, though the mentalis muscle may still create some dimpling even after chin augmentation, potentially requiring periodic anti-wrinkle injections.

****What if I don't like the results?***

One advantage of non-surgical treatments is they're temporary and adjustable:

- Anti-wrinkle effects will naturally wear off over 3-4 months if you simply don't return for repeat treatments - Dermal fillers can be dissolved immediately with an enzyme injection (hyaluronidase) if you're unhappy - Minor adjustments can be made to either treatment at follow-up appointments

Surgical results are permanent, which is why we're extremely thorough in our pre-operative consultations and planning. We use computer imaging to help you visualise potential outcomes before committing to surgery.

****Can treatment fix my "double chin" at the same time?***

Chin dimpling and submental fullness ("double chin") are separate concerns requiring different approaches. However, they can certainly be addressed together in a comprehensive treatment plan.

While anti-wrinkle injections smooth the dimpling on your chin surface, submental fullness may require:

- Fat-dissolving injections (deoxycholic acid) - CoolSculpting (fat-freezing) - Liposuction - Neck lift surgery (in combination with chin augmentation)

Your practitioner will assess both concerns during your consultation and recommend the most appropriate combination of treatments if you want to address multiple areas.

****Will people notice I've had treatment?***

People will notice your chin looks smoother and more relaxed, but they typically won't identify that you've had cosmetic treatment — they'll simply think you look refreshed or well-rested.

The beauty of treating chin dimpling is that it's a subtle improvement. There's no dramatic change in your facial structure or appearance, just the elimination of an unwanted texture. Most patients report that others notice they "look good" but can't pinpoint exactly what's different.

If you prefer to keep your treatment private, you can easily do so as there's no visible evidence after the first day or two.

Real Patient Results

At Me Clinic, we've treated thousands of patients with chin dimpling concerns. While individual results vary based on factors like skin quality, muscle strength, and treatment choice, our before and after gallery demonstrates the range of improvements achievable with our treatment protocols.

Most patients achieve significant smoothing of chin texture with anti-wrinkle injections alone, while those with additional volume loss or structural concerns benefit from combination treatments. We've found that over 95% of patients are satisfied with non-surgical approaches, with only a small percentage requiring or choosing surgical enhancement.

During your consultation, your practitioner will show you cases similar to yours in terms of age, chin structure, and dimpling severity, and discuss realistic expectations for your individual situation.

Book Your Free Consultation

Ready to explore your chin dimpling treatment options? Me Clinic offers complimentary consultations to assess your concerns and discuss personalised treatment recommendations.

****Three ways to book:****

1. ****Call:**** (03) 8823 5859 (Monday-Friday 9am-6pm, Saturday 9am-3pm) 2. ****Online:**** Visit meclinic.com.au and use our online booking system 3. ****Email:**** info@meclinic.com.au

****What to bring to your consultation:****

- List of current medications and supplements
- Relevant medical history (previous cosmetic treatments, medical conditions)
- Questions you'd like answered
- Photos showing your chin from different angles (optional but helpful)

****Your consultation includes:****

- ✓ Comprehensive facial assessment with focus on chin structure and muscle activity
- ✓ Personalised treatment recommendations based on your anatomy and goals
- ✓ Transparent pricing with no hidden fees
- ✓ Before and after gallery review of similar cases
- ✓ Detailed explanation of what to expect from treatment
- ✓ No obligation to proceed — we want you to make an informed decision

****Me Clinic Location:****

4 Burke Road, Malvern East VIC 3145 Convenient on-site parking available Accessible by public transport (Darling Station and multiple tram routes)

****Why choose Me Clinic:****

- ****Experience:**** Over 25,000 surgical procedures and 60,000 non-surgical treatments performed
- ****Expertise:**** FRACS-qualified plastic surgeons and specialist cosmetic physicians
- ****Ethics:**** Responsible Cosmetic Medicine™ approach prioritises your safety and natural results
- ****Transparency:**** Published pricing and honest advice about what treatments can achieve
- ****Support:**** Comprehensive aftercare and readily accessible practitioners for any concerns

Take the first step toward a smoother, more confident chin appearance. Book your free consultation today.